

## McTyre Trucking

<b>TRACTORS</b>		
<b>Unit No.</b>	<b>Description</b>	<b>VIN</b>
759	<b>2017 VOLVO</b> Model VNM64T200 Non-Sleeper Conventional, Volvo D13 Engine, I-Shift Transmission, Dual Aluminum Fuel Tanks, DEF Tank, Air Slide 5th, 11R22.5 Tires, Aluminum Wheels	4V4MC9EH0HN978528
750	<b>2016 PETERBILT</b> Model 567 Conventional, 44 Inch Flat Top Sleeper, Cummins ISX Engine, 525 H.P., 18 Speed Transmission, 20,000 Lb. Front Axle, 46,000 Lb. Rear Ends, Full Screw, Pusher Axle, Double Framed, Dual Aluminum Fuel Tanks, DEF Tank, Sliding 5th, Headacherack, Pull Hitch, 11R22.5 Tires, Aluminum Wheels	1XPCP4EX9GD304810
751	<b>2016 PETERBILT</b> Model 567 Conventional, 44 Inch Flat Top Sleeper, Cummins ISX Engine, 525 H.P., 18 Speed Transmission, 20,000 Lb. Front Axle, 46,000 Lb. Rear Ends, Full Screw, Pusher Axle, Double Framed, Dual Aluminum Fuel Tanks, DEF Tank, Sliding 5th, Headacherack, Pull Hitch, 11R22.5 Tires, Aluminum Wheels	1XPCP4EX0GD304811
752	<b>2016 PETERBILT</b> Model 567 Conventional, 44 Inch Flat Top Sleeper, Cummins ISX Engine, 525 H.P., 18 Speed Transmission, 20,000 Lb. Front Axle, 46,000 Lb. Rear Ends, Full Screw, Pusher Axle, Double Framed, Sliding 5th	1XPCP4EX2GD304812
758	<b>2016 PETERBILT</b> Model 567 Conventional, 36 Inch Flat Top Sleeper, Cummins ISX15 Engine, 425 H.P., Engine Brake, Eaton Fuller 8LL Transmission, 20,000 Lb. Front Axle, 46,000 Lb. Rear Ends, Full Screw, 23,000 Lb. Pusher Axle, Air Ride Suspension, Dual 100 Gallon Aluminum Fuel Tanks, DEF Tank, Double Framed, Sliding 5th, Dual Power Steering, Headacherack, Pull Hitch, 445/65R22.5 Tires Front, 11R22.5 Tires Rear, Aluminum Wheels	1XPCP4EX9GD350704
753	<b>2016 INTERNATIONAL</b> Model ProStar+ 122 Non-Sleeper Conventional, Cummins ISX Engine, 450 H.P., DEF Tank, 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual Aluminum Fuel Tanks, Sliding 5th, Headacherack, 208 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT8GH737129
754	<b>2016 INTERNATIONAL</b> Model ProStar+ 122 Non-Sleeper Conventional, Cummins ISX Engine, 450 H.P., 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Sliding 5th, 202 Inch Wheel Base	1HSDJAPT4GH737130
755	<b>2016 INTERNATIONAL</b> Model ProStar+ 122 Non-Sleeper Conventional, Cummins ISX Engine, 450 H.P., DEF Tank, 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual Aluminum Fuel Tanks, Sliding 5th, Headacherack, 208 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT6GH737131

## McTyre Trucking

Unit No.	Description	VIN
756	<b>2016 INTERNATIONAL</b> Model ProStar+ 122 Non-Sleeper Conventional, Cummins ISX Engine, 450 H.P., DEF Tank, 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual Aluminum Fuel Tanks, Sliding 5th, Headacherack, 208 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT8GH737132
757	<b>2016 INTERNATIONAL</b> Model ProStar Non-Sleeper Conventional, Cummins ISX Engine, 450 H.P., 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Dual Aluminum Fuel Tanks, Sliding 5th, 202 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT8GH737133
748	<b>2015 PETERBILT</b> Model 367 Conventional, 36 Inch Flat Top Sleeper, Cummins ISX15 Engine, Engine Brake, Eaton Fuller 18 Speed Transmission, 20,000 Lb. Front Axle, 46,000 Lb. Rear Ends, Full Screw, Air Lift Pusher Axle, Air Ride Suspension with Dump Valve, Dual 120 Gallon Aluminum Fuel Tanks, Double Frame, Air Slide 5th, 245 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1XPTP4EX0FD258315
740	<b>2015 INTERNATIONAL</b> Model ProStar Non-Sleeper Conventional, Cummins ISX15 Engine, Engine Brake, Eaton Fuller 15 Speed Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension with Dump Valve, Dual 80 Gallon Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 203 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT3FH639740
743	<b>2015 INTERNATIONAL</b> Model ProStar Non-Sleeper Conventional, Cummins ISX15 Engine, Engine Brake, Eaton Fuller 15 Speed Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension with Dump Valve, Dual 80 Gallon Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 203 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT8FH639748
744	<b>2015 INTERNATIONAL</b> Model ProStar Non-Sleeper Conventional, Cummins ISX15 Engine, Engine Brake, Eaton Fuller 15 Speed Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension with Dump Valve, Dual 80 Gallon Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 203 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT8FH639766

## McTyre Trucking

Unit No.	Description	VIN
745	<b>2015 INTERNATIONAL</b> Model ProStar Non-Sleeper Conventional, Cummins ISX15 Engine, Engine Brake, Eaton Fuller Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension with Dump Valve, Dual 80 Gallon Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 203 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPTXFH639816
742	<b>2015 INTERNATIONAL</b> Model ProStar Non-Sleeper Conventional, Cummins ISX15 Engine, Engine Brake, Eaton Fuller 15 Speed Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension with Dump Valve, Dual 80 Gallon Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 203 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT7FH639823
737	<b>2015 INTERNATIONAL</b> Model ProStar+ Non-Sleeper Conventional, Cummins ISX15 Engine, 425 H.P., Engine Brake, Eaton Fuller 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual 80 Gallon Aluminum Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 205 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT1FH639848
746	<b>2015 INTERNATIONAL</b> Model ProStar+ 122 Non-Sleeper Conventional, Cummins ISX15 Engine, Engine Brake, DEF Tank, Eaton Fuller 13 Speed Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension with Dump Valve, Dual 80 Gallon Fuel Tanks, Air Slide 5th, Headacherack, 203 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPTXFH639850
738	<b>2015 INTERNATIONAL</b> Model ProStar+ Non-Sleeper Conventional, Cummins ISX15 Engine, 425 H.P., Engine Brake, Eaton Fuller 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual 80 Gallon Aluminum Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 205 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT1FH639851
741	<b>2015 INTERNATIONAL</b> Model ProStar+ Non-Sleeper Conventional, Cummins ISX15 Engine, 425 H.P., Engine Brake, Eaton Fuller 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual 80 Gallon Aluminum Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 205 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT6FH639859

## McTyre Trucking

Unit No.	Description	VIN
739	<b>2015 INTERNATIONAL</b> Model ProStar+ Non-Sleeper Conventional, Cummins ISX15 Engine, 425 H.P., Engine Brake, Eaton Fuller 8LL Transmission, 46,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual 80 Gallon Aluminum Fuel Tanks, DEF Tank, Air Slide 5th, Headacherack, 205 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSDJAPT1FH639865
730	<b>2011 KENWORTH</b> Model C500 Non-Sleeper Conventional, Cummins ISX15 Engine, 600 H.P., Engine Brake, RTLO-20918B Transmission, 4 Speed Auxilliary, 52,000 Lb. Rear Ends, Full Screw, 5.56 Ratio, Air Lift 3rd Axle, Neway Air Ride Suspension, Dual 150 Gallon Aluminum Fuel Tanks, Double Steel Frame, Air Slide 5th, Headacherack, 270 Inch Wheel Base, 425/65R22.5 Super Single Front Tires, 315/80R22.5 Rear Tires, Aluminum Disc Wheels	1XKCP4TX8BR273182
731	<b>2011 KENWORTH</b> Model C500 Non-Sleeper Conventional, Cummins ISX Engine, 600 H.P., Engine Brake, RTLO-20918B Transmission, 4 Speed Auxilliary, 52,000 Lb. Rear Ends, Full Screw, 5.56 Ratio, Air Lift 3rd Axle, Neway Air Ride Suspension, Dual Aluminum Fuel Tanks, Double Steel Frame, Air Slide 5th, Headacherack, 270 Inch Wheel Base, 425/65R22.5 Super Single Front Tires, 315/80R22.5 Rear Tires, Aluminum Disc Wheels	1XKCP4TXXBR273183
715	<b>2010 INTERNATIONAL</b> Model 8600 SBA TranStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXahr7AJ177218
716	<b>2010 INTERNATIONAL</b> Model 8600 SBA TranStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXahr9AJ177219

## McTyre Trucking

Unit No.	Description	VIN
717	<b>2010 INTERNATIONAL</b> Model 8600 SBA TranStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR5AJ177220
718	<b>2010 INTERNATIONAL</b> Model 8600 SBA TranStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR7AJ177221
719	<b>2010 INTERNATIONAL</b> Model 8600 TranStar SBA 6x4 Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 200 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR9AJ177222
721	<b>2010 INTERNATIONAL</b> Model 8600 SBA TranStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR2AJ177224
723	<b>2010 INTERNATIONAL</b> Model 8600 SBA TranStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR6AJ177226

## McTyre Trucking

Unit No.	Description	VIN
724	<b>2010 INTERNATIONAL</b> Model 8600 SBA TranStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR8AJ177227
725	<b>2010 INTERNATIONAL</b> Model 8600 SBA TranStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHRXAJ191663
726	<b>2010 INTERNATIONAL</b> Model 8600 TransStar Conventional, 32 Inch Sleeper, Cummins ISM Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 200 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR1AJ191664
727	<b>2010 INTERNATIONAL</b> Model 8600 TranStar Conventional, 32 Inch Sleeper, Cummins ISM Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 200 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR3AJ191665
728	<b>2010 INTERNATIONAL</b> Model 8600 SBA TransStar Conventional, 32 Inch Flat Top Sleeper, Cummins ISM Engine, 400 H.P., Engine Brake, Eaton Fuller 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, 3.70 Ratio, Lo-Leaf Air Ride Suspension with Dump Valve, Dual 100 Gallon Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 220 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR5AJ191666
729	<b>2010 INTERNATIONAL</b> Model 8600 TranStar Conventional, 32 Inch Sleeper, Cummins ISM Engine, Engine Brake, 10 Speed Transmission, 40,000 Lb. Rear Ends, Full Screw, Air Ride Suspension, Dual Aluminum Fuel Tanks, Air Slide 5th, Headacherack, 200 Inch Wheel Base, 11R22.5 Tires, Aluminum Disc Wheels	1HSHXAHR7AJ191667

## McTyre Trucking

Unit No.	Description	VIN
747	<b>2003 OSHKOSH</b> Model M1070 8x8 Extended Cab Winch Tractor, Detroit 8V92 Engine, Automatic Transmission, Planetary Axles, Air Ride Suspension, Dual Steel Fuel Tanks, PTO, (2) Winches, 16.00R20 Tires, Steel Wheels	10TGJ9Y452S075108
YD1	<b>1996 OTTAWA</b> Model Commando Yard Hostler, Cummins Engine, Auto Shift Transmission, 23,000 Lb. Rear End, Single Axle, Solid Suspension, 100 Gallon Fuel Tank, Hydraulic 5th, Grill Guard, 104 Inch Wheel Base, 11R22.5 Tires, Steel Disc Wheels	11VAA13F3TA000201
YD2	<b>1996 OTTAWA</b> Model Commando Yard Hostler, Cummins 5.7L Engine, Auto Shift Transmission, 23,000 Lb. Rear End, Single Axle, Solid Suspension, Steel 70 Gallon Fuel Tank, Hydraulic 5th, 117 Inch Wheel Base, 11R22.5 Tires, Steel Disc Wheels	11VAA13E0TA000017

## McTyre Trucking

Unit No.	Description	VIN
732	<b>1968 MACK</b> Model DM-800 Non-Sleeper Conventional, Full Screw, Camel Back Spring Suspension, Dual Steel Fuel Tanks, Triple Steel Frame, Stationary 5th, PTO, Wet Kit, 12.00R24XDL Tires, Steel Spoke Wheels	DM811SX1533
	<b>Trailers</b>	
D-13	<b>2016 FONTAINE</b> Model HAILTX22RS Infinity Aluminum and Steel Combo Drop Deck Trailer, 53 Ft. Long, 10 Ft. Top Deck, 43 Ft. Main Deck, Aluminum Floor, 12 Inch Steel Crossmembers, Air Ride Suspension, Tandem Spread Axle, Nail Strips, Winches, Sliding Winch Track, Chain Tie Downs, Container Locks, 245/70R17.5 Tires, Steel Disc Wheels	13N2532C8G1519154
D-11	<b>2016 FONTAINE</b> Model HAILTX22RS Infinity Aluminum and Steel Combo Drop Deck Trailer, 53 Ft. Long, 10 Ft. Top Deck, 43 Ft. Main Deck, Aluminum Floor, 12 Inch Steel Crossmembers, Air Ride Suspension, Tandem Spread Axle, Nail Strips, Winches, Sliding Winch Track, Chain Tie Downs, Container Locks, 245/70R17.5 Tires, Steel Disc Wheels	13N2532C4G1519152
D-12	<b>2016 FONTAINE</b> Model HAILTX22RS Infinity Aluminum and Steel Combo Drop Deck Trailer, 53 Ft. Long, 10 Ft. Top Deck, 43 Ft. Main Deck, Aluminum Floor, 12 Inch Steel Crossmembers, Air Ride Suspension, Tandem Spread Axle, Nail Strips, Winches, Sliding Winch Track, Chain Tie Downs, Container Locks, 245/70R17.5 Tires, Steel Disc Wheels	13N2532C6G1519153
C-4	<b>2015 TRIPLE CROWN</b> Bumper Pull Utility Trailer, 14 Ft. Long, 7 Ft. Wide, Tandem Axle	1XNU616T2F1060475
SD-20	<b>(4) 2015 TRAIL KING</b> Model TK170SD-334 Steel Power Tower Hydraulic Steerable Dollies, 29 Ft. Long, 146 Inches Wide, Expands to 240 Inches Wide, Torsion Mount Suspension, Quad Axle, Pony Motor, (32) 245/70R17.5 Tires, Steel Disc Wheels;	1TKH0338XFM126317
SD-21	<b>(2) 2015 TRAIL KING</b> Model TK500 Dual Lane Transporter	1TKH03381FM126318
SD-22	Spreader Beams;	1TKH03383FM126319
SD-23	<b>(1) 2015 TRAIL KING</b> Model TK500 Dual Lane Transporter Suspension Beam;	1TKH0338XFM126320
	<b>(2) 2015 TRAIL KING</b> Model TK500 Dual Lane Transporter; Tow Bars and 1 Set 16 Ft. Load Bunks	
TB-4	<b>2015 TRAIL KING</b> Tow Bar (for SD22/23)	M6319
TB-3	<b>2015 TRAIL KING</b> Tow Bar (for SD20/21)	M6317



## McTyre Trucking

Unit No.	Description	VIN
LB39B	<b>2014 TRAIL KING</b> Spreader Bar, 9 Ft. Long (Attached to LB39A)	n/a
SB-4	<b>2014 TRAIL KING</b> Spread Bars	F9616N
LB-37A	<b>2014 TRAIL KING</b> Model TKFA1 Flip Axle, Air Ride Suspension, Single Axle, 22.5 Low Profile Tires, Steel Disc Wheels	1TKR00514EM082655
LB-38A	<b>2014 TRAIL KING</b> Model TKFA1 Flip Axle, Air Ride Suspension, Single Axle, 22.5 Low Profile Tires, Steel Disc Wheels	1TKR00518EM082657
LB40A	<b>2014 TRAIL KING</b> Model TKFA1 Flip Axle, Air Ride Suspension, Single Axle, 22.5 Low Profile Tires, Steel Disc Wheels	1TKR00517EM082679
LB39A	<b>2014 TRAIL KING</b> Model TKFA1 Flip Axle, Air Ride Suspension, Single Axle, 9 Ft. Spreader Bar,	1TKR00512EM092665
LB-37	<b>2014 TRAIL KING</b> Model TK80HED-532 Steel Extendable Hydraulic Lowboy Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 80 Ft., 34 Ft. Main Deck, 9 Ft. Rear Deck, 2 Ft. Flip Neck, Heavy Duty Floor, Steel Crossmembers, Air Ride Suspension, Tandem Axle, Pony Motor, Outriggers, D-Rings	1TKH05327EM082654
LB-38	<b>2014 TRAIL KING</b> Model TK80HED-532 Steel Extendable Hydraulic Lowboy Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 80 Ft., 34 Ft. Main Deck, 9 Ft. Rear Deck, 2 Ft. Flip Neck, Heavy Duty Floor, Steel Crossmembers, Air Ride Suspension, Tandem Axle, Pony Motor, Outriggers, D-Rings	1TKH05320EM082656
LB40	<b>2014 TRAIL KING</b> Model TK60HG-532 Steel Hydraulic Lowboy Trailer, 53 Ft. Long, 102 Inches Wide, 34 Ft. Main Deck, 9 Ft. Rear Deck, Steel Floor, Steel Crossmembers, Air Ride Suspension, Pony Motor, Outriggers, D-Rings, 22.5 Low Profile Tires, Steel Disc Wheels	1TKJ05328EM082678
LB39	<b>2014 TRAIL KING</b> Model TK110HED Steel Extendable Hydraulic Lowboy Trailer, 53 Ft. Long, 102 Inches Wide, 30 Ft. Main Deck, 13 Ft. Rear Deck, 2 Ft. Flip Neck, Heavy Duty Floor, Steel Crossmembers, Air Ride Suspension, Tri-Axle, Lift Axle, Pony Motor, Outriggers, D-Rings, 22.5 Low Profile Tires, Disc Wheels	1TKH05334EM092664
T200A	<b>2013 TRAIL KING</b> Spreader Beam	JOB 9616P
LJ9	<b>2012 TRAIL KING</b> Steel Lowboy Jeep, 32 Ft. Long, 102 Inches Wide, Steel Crossmembers, Air Ride Suspension, Tri-Axle, Sliding 5th, 22.5 Low Profile Tires, Steel Disc Wheels ( <i>Shop Built</i> )	23965
T200	<b>2012 SHOP BUILT</b> 200 Ton Suspension Beams	T2002012

## McTyre Trucking

Unit No.	Description	VIN
LB34 LB34A LB34B	<p><b>2011 TRAIL KING</b> Hydraulic Detachable Beam Trailer, 56 Ft. Long, 102 Inches Wide, 10 Ft. Neck Extension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels</p> <p><b>2011 TRAIL KING</b> Wheel Area, Air Ride Suspension, 3-Axle Wheel, 22.5 Low Profile Tires, Steel Disc Wheels</p> <p><b>2011 TRAIL KING</b> Model TKHBH219Z 2 Axle Booster, 18 Ft. Long, Steel Crossmembers, Air Ride Suspension, Pony Motor, 22.5 Low Profile Tires, Steel Disc Wheels</p> <p><b>2011 TRAIL KING</b> Model TK25RA-51 Pin On Axle, Air Ride Suspension, 22.5 Low Profile Tires, Steel Disc Wheels</p>	<p>1TKJ01431CM126100 JOB 4153B</p> <p>1TKR01920CM125801 1TKR00513CM125802</p>
D-10	<p><b>2010 XL SPECIALIZED</b> Model XL-100-SDE Steel Extendable Drop Deck Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 73 Ft., 43 Ft. Well, 10 Ft. Top Deck, 3 Ft. Flip Neck, Wood Floor, Air Ride Suspension with Dump Valve, Tri-Axle, Nail Strips, D-Rings, Chain Tie Downs, Tire Inflation System, 245/70R17.5 Tires, Aluminum Disc Wheels Outside Only</p>	4U3J05335AL010847
SD-16 SD-17 SD-18 SD-19 SB-1 SB-2 SB-3 TB-1 TB-2	<p><b>(4) 2010 TRAIL KING</b> Model TK170SD-334 Steel Power Tower Hydraulic Steerable Dollies, 29 Ft. Long, 146 Inches Wide, Expands to 240 Inches Wide, Torsion Mount Suspension, Quad Axle, Pony Motor, (32) 245/70R17.5 Tires, Steel Disc Wheels;</p> <p><b>(2) 2010 TRAIL KING</b> Model TK500 Dual Lane Transporter Spreader Beams;</p> <p><b>(1) 2010 TRAIL KING</b> Model TK500 Dual Lane Transporter Suspension Beam;</p> <p><b>(2) 2010 TRAIL KING</b> Model TK500 Dual Lane Transporter; Tow Bars and 1 Set 16 Ft. Load Bunks</p>	<p>1TKS03344AM089616 1TKS03346AM089617 1TKS03348AM089618 1TKS0334XAM089619</p> <p>9618W 9616W 9616U 9616V 9618V</p>
LB31D	<p><b>2010 TRAIL KING</b> Perimeter Deck, 24 Ft. Long, 70 Ton Capacity (Fits LB31 and LB32)</p>	4150F
903	<p><b>2010 FONTAINE</b> Model VTP-1-5390SLAW-CAL-3 Velocity Steel Extendable Flatbed Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 90 Ft., Wood Floor, Air Ride Suspension, Tri-Axle, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels</p>	13N4903C4A3551430
901	<p><b>2010 FONTAINE</b> Model VTP-1-5390SLAW-CAL-3 Steel Extendable Flatbed Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 90 Ft., Wood Floor, Steel Crossmembers, Air Ride Suspension, Tri-Axle, Nail Strips, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels</p>	13N4903C6A3551428

## McTyre Trucking

Unit No.	Description	VIN
902	<b>2010 FONTAINE</b> Model VTP-1-5390SLAW-CAL-3 Steel Extendable Flatbed Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 90 Ft., Wood Floor, Steel Crossmembers, Air Ride Suspension, Tri-Axle, Nail Strips, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4903C8A3551429
904	<b>2010 FONTAINE</b> Model VTP-1-5390SLAW-CAL-3 Steel Extendable Flatbed Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 90 Ft., Wood Floor, Steel Crossmembers, Air Ride Suspension, Tri-Axle, Nail Strips, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4903C6A3551431
906	<b>2010 FONTAINE</b> Model VTP-1-5390SLAW-CAL-3 Steel Extendable Flatbed Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 90 Ft., Wood Floor, Steel Crossmembers, Air Ride Suspension, Tri-Axle, Nail Strips, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4903CXA3551433
905	<b>2010 FONTAINE</b> Model VTP-1-5390SLAW-CAL-3 Velocity Steel Extendable Flatbed Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 90 Ft., Wood Floor, Air Ride Suspension, Tri-Axle, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4903C8A3551432
D-9A	<b>2009 XL SPECIALIZED</b> Model XL24FA Steel Stinger, Model XL22MB 9 Ft. Spreader Bar, Steel Crossmembers, Air Ride Suspension, 17.5 Low Profile Tires, Steel Disc Wheels, (Valued Spreader Bar and Flip Axle together)	4U3S005129L010668
D-9	<b>2009 XL SPECIALIZED</b> Model XL-100-SDE Steel Extendable Drop Deck Trailer, 53 Ft. Long, 102 Inches Wide, Extends to 73 Ft., 30 Inch Drop, 43 Ft. Main Deck, 10 Ft. Top Deck, 3 Ft. Flip Neck, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension, Tri-Axle, D-Rings, Tire Inflation System, 245/70R17.5 Tires, Aluminum Disc Wheels Outside Only	4U3B053379L010652
LB32 LB32A LB32B	<b>2008 TRAIL KING</b> Model TK140HDG-563 Hydraulic Detachable Beam Deck Trailer, 56 Ft. Long, 102 Inches Wide, 10 Ft. Neck Extension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels; <b>2008 TRAIL KING</b> Model TK25FA-051 Flip Axle, 70 Ton Capacity, Air Ride Suspension, 22.5 Low Profile Tires, Steel Disc Wheels; <b>2008 TRAIL KING</b> Model TKHB1+1-141 Booster, 14 Ft. Long, 70 Ton Capacity, Single Axle, Steel Crossmembers, Air Ride Suspension, 22.5 Low Profile Tires, Steel Disc Wheels	1TKJ0563X8M014150 1TKS0051X8M014155 1TKS014138M014151

## McTyre Trucking

Unit No.	Description	VIN
LB31 LB31A LB31B LB31C LB32C LB32D	<p><b>2008 TRAIL KING</b> Model TK140HDG-543 Steel Hydraulic Detachable Extendable Lowboy Jeep, 53 Ft. Long, 102 Inches Wide, 25 Ft. Well, 14 Ft. 6 Inch Top Deck, 14 Ft. Tri-Axle Rear Deck, 70 Ton Capacity, 9 Ft. Flip Neck, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension with Dump Valve, Tri-Axle, Pony Motor, Outriggers, Cheater Neck, D-Rings, Rope Hooks, 22.5 Low Profile Tires, Steel Disc Wheels</p> <p><b>2008 TRAIL KING</b> Model TKHB3-323 Hydraulic Steerable Stinger, 70 Ton Capacity, Steel Crossmembers, Air Side Suspension, Tri-Axle, Hydraulic Lift, Pony Motor, 22.5 Low Profile Tires, Steel Disc Wheels;</p> <p><b>2008 TRAIL KING</b> 5 Ft. Deck Extension, 70 Ton Capacity;</p> <p><b>2008 TRAIL KING</b> 10 Ft. Deck Extension, 70 Ton Capacity;</p> <p><b>2008 TRAIL KING</b> 8 Ft. Rail Deck, 70 Ton Capacity;</p> <p><b>2008 TRAIL KING</b> Rail Deck Extension, 70 Ton Capacity</p>	<p>1TKJ054318M014153</p> <p>1TKS023388M014154</p> <p>M4153M</p> <p>M4153N</p> <p>4153R</p> <p>4153</p>
8036	<p><b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels</p>	13N4482C573545563
8037	<p><b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels</p>	13N4482C773545564
8038	<p><b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels</p>	13N4482C973545565
8039	<p><b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels</p>	13N4482C073545566
8042	<p><b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels</p>	13N4482C673545569

## McTyre Trucking

Unit No.	Description	VIN
8044	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C473545571
8045	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C673545572
8046	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C873545573
8047	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482CX73545574
8048	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C173545575
8050	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C573545577
8041	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C473545568
8043	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C273545570

## McTyre Trucking

Unit No.	Description	VIN
8049	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C373545576
8040	<b>2007 FONTAINE</b> Model TP-4-4880SLW Steel Extendable Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 80 Ft., Wood Floor, Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, Sliding Winch Track, 11R22.5 Tires, Steel Disc Wheels	13N4482C273545567
LB29	<b>2005 FONTAINE SPECIALIZED</b> Model 353ANGB Steel Hydraulic Detachable Lowboy Trailer, 50 Ft. Long, 102 Inches Wide, 30 Ft. Well, 11 Ft. Neck, 9 Ft. Rear Deck, 40 Ton Capacity, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension with Dump Valve, Pony Motor, Outriggers, D-Rings, 22.5 Low Profile Tires, Steel Disc Wheels	4LFE5020253527702
LB30	<b>2005 FONTAINE SPECIALIZED</b> Model 353ANGB Steel Hydraulic Detachable Lowboy Trailer, 50 Ft. Long, 102 Inches Wide, 30 Ft. Well, 11 Ft. Neck, 9 Ft. Rear Deck, 40 Ton Capacity, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension with Dump Valve, Tandem Axle, Pony Motor, Outriggers, D-Rings, 22.5 Low Profile Tires, Steel Disc Wheels	4LFE5020453527703
8021	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Air Lift 3rd Axle, Winches, 22.5 Low Profile Tires, Aluminum Disc Wheels	13N4482C851528331
8022	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482CX51528332
8023	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C151528333

## McTyre Trucking

Unit No.	Description	VIN
8024	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C351528334
8016	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C451528326
8019	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482CX51528329
8025	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C551528335
8015	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Single Cam Locks, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C251528325
8017	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Single Cam Locks, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C651528327
8020	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Single Cam Locks, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C651528330
112	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C851525092
113	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482CX51525093

## McTyre Trucking

Unit No.	Description	VIN
116	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C551525096
117	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C751525097
118	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13NI482C951525098
128	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C951528311
129	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C051528312
130	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C251528313
121	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Heavy Duty Wood Floor, 12 Inch Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C551525101
122	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Heavy Duty Wood Floor, 12 Inch Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C751525102
123	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Heavy Duty Wood Floor, 12 Inch Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C951525103



## McTyre Trucking

Unit No.	Description	VIN
125	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Heavy Duty Wood Floor, 12 Inch Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C251525105
140	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Heavy Duty Wood Floor, 12 Inch Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C551528323
115	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C351525095
119	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Steel Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Heavy Duty Wood Floor, 12 Inch Steel Crossmembers, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C051525099
126	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C051525104
135	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C151528318
136	<b>2005 FONTAINE</b> Model EFTW-6-8048SLWK Flatbed Trailer, 48 Ft. Long, 102 Inches Wide, Wood Floor, Spring Suspension, Sliding Tandem, Winches, 11R22.5 Tires, Steel Disc Wheels	13N1482C351528319
8018	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C851528328
8026	<b>2005 FONTAINE</b> Model HTP-4-4880SL Steel Extendable Flatbed Trailer, 48 Ft. Long, 96 Inches Wide, Extends to 80 Ft., Wood Floor, Spring Suspension, Sliding Tandem, Nail Strips, Winches, 11R22.5 Tires, Steel Disc Wheels	13N4482C751528336

## McTyre Trucking

Unit No.	Description	VIN
D7	<b>2004 TRASCRAFT</b> Model DTL-3000 F3 Steel Drop Deck Trailer, 48 Ft. Long, 102 Inches Wide, 37 Ft. Well, 11 Ft. Top Deck, Air Ride Suspension with Dump Valve, Tri-Axle, Nail Strips, Winches, 245/70R17.5 Tires, Steel Disc Wheels	1TTE4830541073065
D8	<b>2004 TRASCRAFT</b> Model DTL-3000 F3 Steel Drop Deck Trailer, 48 Ft. Long, 102 Inches Wide, 27 Inch Drop, 38 Ft. Main Deck, 10 Ft. Top Deck, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension with Dump Valve, Tri-Axle, Nail Strips, Winches, Pintle Hook, 245/70R17.5 Tires, Steel Disc Wheels	1TTE4830741073066
SD-1	<b>2004 TRAIL KING</b> Model TK120SD-436 Steel Hydraulic Steerable Dolly, 44 Ft. Long, 120 Inches Wide, Air Ride Suspension with Dump Valve, 6 Axles, Pintle Hook, Chain Tie Downs, Pony Motor, 245/70R17.5 Tires, Steel Disc Wheels	1TKS043654M036497
LB26	<b>2004 FONTAINE SPECIALIZED</b> Model TH55DSR120 Steel Hydraulic Detachable Lowboy Trailer, 53 Ft. Long, 102 Inches Wide, 26 Ft. Well, 14 Ft. Rear Deck, 60 Ton Capacity, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension with Dump Valve, Tri-Axle, Pony Motor, Outriggers, D-Rings, Chain Tie Downs, 22.5 Low Profile Tires, Steel Disc Wheels	4LFE5340643522015
LB24	<b>2004 FONTAINE SPECIALIZED</b> Model 353WDMRX Steel Detachable Extendable Double Drop Mechanical Lowboy Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 69 Ft., 9 Ft. Top Deck, 29 Ft. Well, 35 Ton Capacity, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension with Dump Valve, Tandem Axle, Outriggers, D-Rings, 22.5 Low Profile Tires, Steel Disc Wheels	4LF64820X43522011
LB23	<b>2004 FONTAINE SPECIALIZED</b> Model 353WDMRX Steel Detachable Extendable Double Drop Mechanical Lowboy Trailer, 48 Ft. Long, 102 Inches Wide, Extends to 69 Ft., 29 Ft. Main Deck, 9 Ft. Rear Deck, 35 Ton Capacity, Wood Floor, Air Ride Suspension with Dump Valve, Tandem Axle, Outriggers, D-Rings, Chain Tie Downs, 22.5 Low Profile Tires, Steel Disc Wheels	4LF64820843522010

## McTyre Trucking

Unit No.	Description	VIN
LB25	<b>2004 FONTAINE SPECIALIZED</b> Model 353AGB Steel Hydraulic Detachable Lowboy Trailer, 49 Ft. Long, 102 Inches Wide, 11 Ft. Neck, 29 Ft. Main Deck, 9 Ft. Rear Deck, 35 Ton Capacity, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension, Tandem Axle, Pony Motor, Outriggers, D-Rings, 22.5 Low Profile Tires, Steel Disc Wheels	4LF44920943522014
D5	<b>2004 FONTAINE</b> Model EDFT-6-10048WSAWK Steel Drop Deck Trailer, 48 Ft. Long, 102 Inches Wide, 37 Ft. Well, 11 Ft. Top Deck, Wood Floor, Air Ride Suspension, 10 Ft. 1 Inch Spread Axle, 11R22.5 Tires, Steel Disc Wheels	13N24830041518998
D6	<b>2004 FONTAINE</b> Model EDFT-6-10048WSAWK Steel Drop Deck Trailer, 48 Ft. Long, 102 Inches Wide, 22 Inch Drop, 37 Ft. Well, 11 Ft. Top Deck, Heavy Duty Wood Floor, Steel Crossmembers, Air Ride Suspension, 10 Ft. 1 Inch Spread Axle, Nail Strips, 22.5 Low Profile Tires, Steel Disc Wheels	13N24830241518999
Stinger 10-1	<b>2004 FONTAINE</b> Flip Axle, Air Ride Suspension, 22.5 Low Profile Tires, Steel Disc Wheels (with 22086 5 Ft. Pivoting Spreader Bar)	13NM0510843521576
LB20	<b>2003 FONTAINE</b> Model TH55 FLD NGB Steel Hydraulic Detachable Lowboy Trailer, 53 Ft. Long, 102 Inches Wide, 55 Ton Capacity, Wood Floor, Air Ride Suspension with Dump Valve, Spreader Bar, D-Rings, Nail Strips, Outriggers, Chain Tie Downs, Honda Electric Star Engine, 22.5 Low Profile Tires, Steel Disc Wheels, Aluminum Wheels Outside on Flip Axle	13NE5340733517278
Stinger 14s	<b>2003 FONTAINE</b> Model 101A-HV-3 Flip Axle, Air Ride Suspension, 22.5 Low Profile Tires, Aluminum and Steel Wheels (with 718101 9 Ft. Pivoting Spreader Bar)	13NM0511X33516600
LJ-1	<b>2000 XL SPECIALIZED</b> Model XL80JPS Steel Lowboy Jeep, 26 Ft. Long, 102 Inches Wide, Air Ride Suspension with Dump Valve, Tandem Axle, 22.5 Low Profile Tires, Aluminum Disc Wheels	4U3S02623YL002813
D1	<b>2000 FONTAINE</b> Model EDFT-6-8048WSAWK Steel Drop Deck Trailer, 48 Ft. Long, 102 Inches Wide, 10 Ft. Top Deck, 28 Ft. Well, Wood Floor, Steel Crossmembers, Air Ride Suspension, 10 Ft. 2 Inch Spread Axle, Winches, 275/70R17.5 Tires, Steel Disc Wheels	13N248302Y1591697

## McTyre Trucking

Unit No.	Description	VIN
D2	<b>2000 FONTAINE</b> Model EDFT-6-8048WSAWK Steel Drop Deck Trailer, 48 Ft. Long, 102 Inches Wide, 10 Ft. Top Deck, 38 Ft. Well, Wood Floor, Steel Crossmembers, Air Ride Suspension, 10 Ft. 2 Inch Spread Axle, Nail Strips, Winches, 22.5 Low Profile Tires, Steel Disc Wheels	13N248304Y1591698
LB33	<b>1999 FONTAINE SPECIALIZED</b> Model 552/2M Steel Hydraulic Detachable Double Drop Lowboy Trailer, 55 Ft. Long, 102 Inches Wide, 30 Ft. Well, 15 Ft. Top Deck, 10 Ft. Rear Deck, 55 Ton Capacity, 4 Ft. Flip Neck, 2 Axle Pin-On Stinger, 10 Ft. Insert Deck, 28 Ft. Beam Deck, Wood Floor, Steel Crossmembers, Air Ride Suspension with Dump Valve, Flip Axle, Pony Motor, Outriggers, D-Rings, Chain Tie Downs, 22.5 Low Profile Tires, Aluminum Disc Wheels Outside Only <i>(Also Includes 29 Ft. 6 Inch Deck Insert)</i>	4LF4S7943X3508648
LB36A LB36B LB36C LB36D LB36E n/a n/a n/a	<b>1997 TRAIL KING</b> Model TK110J-333 Jeep, Tri-Axle; <b>1997 TRAIL KING</b> Model TK160J Jeep, 44 Ft. Long, Hydraulic Beam, Tri-Axle, Pony Motor; <b>1997 TRAIL KING</b> Model TK60D Pull Dolly, 14 Ft. Long, Tri-Axle; <b>1997 TRAIL KING</b> Model TK110J Steel Hydraulic Steer Jeep, 32 Ft. Long, Air Ride Suspension; <b>1997 TRAIL KING</b> Model TK160J Jeep, 44 Ft. Long, Hydraulic Beam, Tri-Axle; 36 Ft. Front Gooseneck; Deck; 38 Ft. Rear Gooseneck	1TKS03335VM059408 1TKJ04437VM069409 1TKS01435VM069410 1TKS03239VM069411 1TKS04437VM069412 M9409A M9409N M9409B
J-3	<b>1989 FRUEHAUF</b> Jeep, 39 Ft. Long, Spring Suspension, Tri-Axle, 11R22.5 Tires <i>(Shop Built)</i>	1H5P04526KM016905
S-8	<b>1986 CARE</b> Steerable Dolly <i>(Shop Built)</i>	G145
PD-6	<b>1986 CARE</b> Steel Pole Dolly, 15 Ft. Long, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels <i>(Shop Built)</i>	8528563387
PD-7	<b>1986 CARE</b> Steel Pole Dolly, 15 Ft. Long, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels <i>(Shop Built)</i>	FLACARDDBLTRLFD38
S-10	<b>1986 CARD</b> Steerable Dolly, 6 Axle <i>(Shop Built)</i>	G115
J-10	<b>1986 CARD</b> Steel Jeep, Steel Crossmembers, Air Ride Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels <i>(Shop Built)</i>	G125

## McTyre Trucking

Unit No.	Description	VIN
PD-11	<b>1983 FRUEHAUF</b> Steel Pole Dolly, 15 Ft. Long, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels ( <i>Shop Built</i> )	FWC477401
SD-4 / S-4	<b>1982 TRAIL KING</b> Steerable Dolly, Spring Suspension, 6 Axle ( <i>Shop Built</i> )	TB26NJ6C4000315
PD-5	<b>1982 CARE</b> Steel Pole Dolly, 15 Ft. Long, 96 Inches Wide, Steel Floor, Steel Crossmembers, Spring Suspension, Tri-Axle, Pintle Hook, 22.5 Low Profile Tires, Steel Spoke Wheels ( <i>Shop Built</i> )	ACARDDBLTRLFD32
PD-2	<b>1982 CARE</b> Steel Pole Dolly, 15 Ft. Long, 96 Inches Wide, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels ( <i>Shop Built</i> )	ACARDDBLTRLFD34
PD-8	<b>1982 CARE</b> Steel Pole Dolly, 15 Ft. Long, 96 Inches Wide, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels ( <i>Shop Built</i> )	ACARDDBLTRLFD30
SD-5 / S-5	<b>1980 DORSEY</b> Steerable Dolly, Spring Suspension, 4 Axle, 445/65R22.5 Tires, Spoke Wheels ( <i>Shop Built</i> )	148341
SD-9 / S-9	<b>1980 DORSEY</b> Steerable Dolly, 37 Ft. 6 Inches Long, 102 Inches Wide, Spring Suspension, 6 Axles, Pintle Hook, 32 Inch Bolster/Turntable, 425/65R22.5 Tires, Steel Spoke Wheels ( <i>Shop Built</i> )	148342
PD-4	<b>1980 DORSEY</b> Steel Pole Dolly, 15 Ft. Long, 96 Inches Wide, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels ( <i>Shop Built</i> )	148343
PD-9	<b>1977 HOMEMADE</b> Steel Pole Dolly, 15 Ft. Long, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels ( <i>Shop Built</i> )	FLT10240P
LJ-8	<b>1977 HOBBS</b> Steel Lowboy Jeep, 31 Ft. Long, Air Ride Suspension, Tri-Axle, Sliding 5th, 22.5 Low Profile Tires, Steel Disc Wheels	FHS483210
PD-3	<b>1974 FRUEHAUF</b> Steel Pole Dolly, 15 Ft. Long, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels ( <i>Shop Built</i> )	SWS208042
J-11	<b>1974 FRUEHAUF</b> Steel Jeep, 40 Ft. Long, 100 Inches Wide, Spring Suspension, Tri-Axle, 11R22.5 Tires, Steel Disc Wheels	FWS653710

## McTyre Trucking

Unit No.	Description	VIN
J-6	<b>1973 FRUEHAUF</b> Steel Jeep, Steel Crossmembers, Air Ride Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels ( <i>Shop Built</i> )	MAR416634
PD-1	<b>1973 FRUEHAUF</b> Pole Dolly, 13 Ft. Long, Steel Crossmembers, Spring Suspension, Tandem Axle, 22.5 Low Profile Tires, Steel Wheels ( <i>Shop Built</i> )	HPP433914
S-11	<b>1972 FRUEHAUF</b> Steel Hydraulic 3+3 Steerable Dolly, 36 Ft. Long, 96 Inches Wide, Spring Suspension, 2 Ft. Tongue, Pony Motor, 425/65R22.5 Tires, Steel Spoke Wheels ( <i>Shop Built</i> )	HPP419301
PD-10	<b>1971 MODU</b> Steel Pull Dolly, 15 Ft. Long, Steel Crossmembers, Spring Suspension, Tri-Axle, 22.5 Low Profile Tires, Steel Disc Wheels	0C1006400T
J-9	<b>1968 HOMEMADE</b> Jeep, 38 Ft. Long, Spring Suspension, Tri-Axle, 11R22.5 Tires, Disc Wheels	FLT10022F
J-4	<b>1966 HOMEMADE</b> Steel Jeep, 38 Ft. Long, 102 Inches Wide, Spring Suspension, Tri-Axle, Pintle Hook, Turntable, 11R22.5 Tires	FLT10429D
SD-7 / S-7	<b>1961 HOMEMADE</b> Steerable Dolly, Spring Suspension, 6 Axle, Pony Motor, 425/65R22.5 Tires, Aluminum and Steel Wheels ( <i>Shop Built</i> )	FLT610658
LB35	<b>1958 ROGERS</b> Model DWHPG75DS101 Steel Hydraulic Detachable Lowboy Trailer, 41 Ft. Long, 120 Inches Wide, 65 Ton Capacity, Walking Beam Suspension, Set Up for Flip Axle, Outriggers, Chain Tie Downs, 11R17.5 Tires, 16 Tire, Steel Spoke Wheels	7502
J-8	<b>1955 UNIV</b> Jeep, Tri-Axle	213

## McTyre Trucking

Unit No.	Description	VIN
LJ-6	<b>1949 HOMEMADE</b> Steel Lowboy Jeep, 32 Ft. Long, 102 Inches Wide, Air Ride Suspension with Dump Valve, Tri-Axle, Adjustable 5th, 22.5 Low Profile Tires, Steel Disc Wheels	FT701290
<b>Support Equipment</b>		
488	<b>2016 FORD</b> F-350 Pickup Service Truck ( <i>VIN Denotes 4x2, 6.7L Diesel and Crew Cab Dually</i> )	1FD8W3GT0GEA39991
487	<b>2015 FORD</b> F-150 Extended Cab Pickup, Gas Engine, Automatic Transmission, 1/2 Ton, 2 Wheel Drive, 8 Ft. Bed, Tool Box, 245/70R17 Tires, Steel Disc Wheels ( <i>VIN Denotes Super Cab, 4x2 and 3.5L V6</i> )	1FTEX1C8XFFA11862
483	<b>2014 FORD</b> F-250 Pickup, <b>READ</b> Service Body, 8 Ft. Long ( <i>VIN Denotes 4x2 Crew Cab, SRW and 6.2L V8</i> )	1FT7W2A6XEED39476
484	<b>2014 FORD</b> F-150 XLT Crew Cab Pickup, V8 6.2L Engine, Automatic Transmission, 2 Wheel Drive, 1/2 Ton, 8 Ft. Bed, Tool Box, Power Windows and Doors, 255/65R17 Tires, Aluminum Disc Wheels	1FTEW1CM1EFA41685
482	<b>2012 FORD</b> F-250 Super Duty 4x2 Crew Cab Pickup, 6.2L V8 Gas Engine, Automatic Transmission, 3/4 Ton, 2 Wheel Drive, 8 Ft. Steel Service Body, Air Compressor, Tool Boxes, Hose Reels, LT245/75R17 Tires, Steel Disc Wheels	1FT7W2A62CEC37852
480	<b>2010 FORD</b> F-150 XLT 4 Door Pickup, 5.4L Triton Gas Engine, Automatic Transmission with Overdrive, 1/2 Ton, 2 Wheel Drive, Spring Suspension, Single 25 Gallon Fuel Tank, 6 Ft. Box, Tool Box, 139 Inch Wheel Base, 265/70R17 Tires, Aluminum Wheels	1FTEW1C8XAFA61558
481	<b>2010 DODGE</b> Ram 3500 4x2 Quad Cab Service Truck, Cummins 6.7L Diesel Engine, 10 Ft. Service Bed, Air Compressor	3D6WG4GL6AG103797
C-3	<b>2009 TRANSHAUL</b> Model CH8520TA2 Trailer, Wood Lined, Side Door, Fold Down Ramp Door ( <i>VIN Denotes Enclosed Bumper Pull, 20 Ft Long and Tandem Axle</i> )	5KNEB20279G009457
6036 / Skylift	<b>2007 SKYTRAK</b> Model 6036 Telehandler, 6,000 Lb. Max Lift Capacity, Cummins 4BT3.9 Engine, Modulated Powershift Transmission, 13.00-24TG Tires, Steel Wheels	160025846
MULE (M1)	<b>2015 KAWASAKI</b> Yard Mule	JKBAFSB19FB503923

## McTyre Trucking

Unit No.	Description	VIN
n/a	<b>2005 TAYLOR</b> Model TE-2505 Heavy Duty Forklift, Cummins Diesel Engine, 3 Speed Automatic Transmission, Standard Mast, 25,000 Lb. Capacity, Side Shift, Power Steering, Pneumatic Tires (Red)	S-M2-24233
489	<b>2001 FORD</b> XLT Ranger Extended Cab Pickup, Gas Engine, Automatic Transmission, <i>(VIN Denotes Edge SuperCab, 3.0L V6 Gas, 2WD, 2 Door)</i>	1FTYR14VX1TA86194
n/a	<b>1999 TAYLOR</b> Model TY-220M Heavy Duty Forklift, Detroit 4 Cylinder Diesel Engine, Automatic Transmission, Standard Mast, 22,000 Lb. Capacity, Side Shift, Power Steering, Pneumatic Tires (Blue)	S-N5-17301
n/a	EZ60 Golf Cart Model E399 <i>(VIN denotes 1999 Model TXT Standard Electric 36V)</i>	1175338
n/a	16' Load Bunks for TK500	n/a
n/a	(8) Hat Boxes	n/a
n/a	(5) Sets Rocker Racks	n/a
n/a	(5) Bolster Boxes	n/a
n/a	(44) OTC "Tall" Racks	n/a
n/a	(35) Bolsters	n/a
n/a	(3) Tag Axles	n/a
n/a	(3) Lift Axles	n/a
n/a	(2) Pyramid Bolsters	n/a
n/a	(13) "Short" Racks	n/a
n/a	(1) Set Perimeter Deck Extensions (Order No. 4150f)	n/a